

Product datasheet

Specifications



Current transformer - class 1 - 400/5A - 5VA - for Fupact ISFL 250..630

LV480887

⚠ Discontinued on: 9 Feb 2023

⚠ Discontinued

EAN Code: 3606480341458

Main

Range of product	ISFL1250 ISFL250...630
Range	FuPacT
Product or component type	Current transformer
Device application	Power supply
Range compatibility	FuPacT FuPacT ISFL ISFL250 fuse-switch disconnecter FuPacT FuPacT ISFL ISFL400 FuPacT FuPacT ISFL ISFL630 FuPacT FuPacT ISFL ISFL1250
Current transformer ratio	400/5 A
Power consumption in VA	5 VA

Complementary

Accessory / separate part category	Measurement accessory
Current transformer type	Measurement class 1
Maximum safety factor	5
[Ue] rated operational voltage	800 V AC 50/60 Hz
IP degree of protection	IP20
Standards	IEC 60044-1 VDE 0414 BS 7626
Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...80 °C
Height	78 mm
Width	60 mm
Depth	30 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.6 cm
Package 1 Width	6.5 cm
Package 1 Length	8.0 cm

Package 1 Weight	163.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	40
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	6.975 kg

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer

Lifetime extension

Repair	No
--------	----

Use Again

Repack and remanufacture

Take-back	Nej
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins