

Product datasheet

Specifications



4 THREADED BARS 630A L1400/ LINERGY BS BB

04174

⚠ Discontinued on: 7 Jul 2022

⚠ Discontinued

Main

| | |
|---------------------------|--|
| Range | Linergy |
| Range of product | Linergy |
| Product or component type | Copper busbar |
| Product name | Linergy BS |
| Range compatibility | Prisma Prisma G enclosure Prisma Prisma P enclosure |
| Busbar description | Flat bar |
| Quantity per set | Set of 4 |

Complementary

| | |
|------------------------------------|--|
| Installation direction | Vertical, operating position: rear |
| installation description | Floor-standing duct - width 300 mm Wall-mounted duct - width 300 mm |
| [Ie] rated operational current | 630 A |
| [Ipk] rated peak withstand current | 55 kA |
| I ² t on activation | 625000 kA ² .s |
| Busbar cross section | 32 x 8 mm |
| Length | 1400 mm |
| Net weight | 12.54 kg |
| Type of busbar connection | M6 threaded hole |
| Connection pitch | Connection each 25 mm |
| support thickness | 8 mm |

Environment

| | |
|------------------------|----------------------------|
| Standards | IEC 61439-1 IEC 61439-2 |
| Product certifications | ASEFA |

Packing Units

| | |
|------------------------------|--------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 2.5 cm |

| | |
|------------------------------|-----------|
| Package 1 Width | 13.0 cm |
| Package 1 Length | 150.0 cm |
| Package 1 Weight | 12.45 kg |
| Unit Type of Package 2 | P2M |
| Number of Units in Package 2 | 48 |
| Package 2 Height | 21.0 cm |
| Package 2 Width | 200.0 cm |
| Package 2 Length | 120.0 cm |
| Package 2 Weight | 601.92 kg |

Contractual warranty

| | |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

EU RoHS Directive

[Compliant](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Take-back

No

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins