


Product datasheet

Specifications



heat sink for panel mounting relay

SSRHP17

⚠ Discontinued on: 1 Nov 2020

⚠ Discontinued

Main

Range of product	Harmony Solid State Relays
Product or component type	Heat sink

Complementary

Product compatibility	1 solid state relay SSR on panel
Thermal resistance	1.7 °C/W
Mounting support	Panel
Material	Aluminium
Surface finish	Black anodized
Surface and useful surface	659 cm²
Number of mounting holes	6 with UNC 8-32 thread
tightening torque	1.7...2.2 N.m
Sale per indivisible quantity	1
Width	58.9 mm
Height	40.6 mm
Depth	104.6 mm
Net weight	0.195 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6 cm
Package 1 Width	10.5 cm
Package 1 Length	12.4 cm
Package 1 Weight	350 g

Contractual warranty

Warranty (in months)	18
----------------------	----

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

EU RoHS Directive

[Compliant](#)

Use Longer



Lifetime extension

Repair

No

Use Again




Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Dimensions Drawings

Dimensions



Technical Illustration

Dimensions

