

# Product datasheet

Specifications



## Reversing bar, TeSys Deca, for 3P LC1D09-32 snap-in contactors

LAD9V21A



EAN Code: 3606487544227

### Main

|                           |                    |
|---------------------------|--------------------|
| Range of product          | TeSys Deca         |
| Range                     | TeSys              |
| Device short name         | LAD9               |
| Product or component type | Set of connections |
| Poles description         | 3P                 |
| Range compatibility       | TeSys Deca         |
| Product compatibility     | LC1D09...32A       |

### Complementary

|                   |                                  |
|-------------------|----------------------------------|
| Mounting location | Downstream<br>Upstream           |
| Net weight        | 50 g                             |
| Standards         | EN/IEC 60947-4-1<br>GB/T 14048.4 |

### Environmental

|                                       |             |
|---------------------------------------|-------------|
| Ambient air temperature for operation | -25...60 °C |
| Ambient air temperature for storage   | -60...80 °C |

### Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 3.000 cm  |
| Package 1 Width              | 6.500 cm  |
| Package 1 Length             | 12.500 cm |
| Package 1 Weight             | 65.000 g  |
| Unit Type of Package 2       | S01       |
| Number of Units in Package 2 | 22        |
| Package 2 Height             | 15.000 cm |
| Package 2 Width              | 15.000 cm |
| Package 2 Length             | 40.000 cm |
| Package 2 Weight             | 1.652 kg  |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

| Materials and Substances               |                                                                             |
|----------------------------------------|-----------------------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes                                                                         |
| Packaging without single use plastic   | Yes                                                                         |
| EU RoHS Directive                      | <a href="#">Compliant</a>                                                   |
| REACH Regulation                       | <a href="#">Free of Substances of Very High Concern above the threshold</a> |

### Use Longer

| Lifetime extension |    |
|--------------------|----|
| Repair             | No |

### Use Again

| Repack and remanufacture |                                                                                                                                                                                                                 |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Take-back                | No                                                                                                                                                                                                              |
| WEEE Label               |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |