

Product datasheet

Specifications

Power supply, Harmony iPC, Module AC for Panl PC 12"



HMIYPMAC61

⚠ Discontinued on: Dec 31, 2016 AD

⚠ End-of-service on: May 28, 2024 AD

⚠ Discontinued - Service only

Main

Range of product	Harmony iPC
Product or component type	Power supply
Accessory / separate part category	Spare part

Complementary

Accessory / separate part destination	12" Harmony Panel PC
Input voltage	100...240 V AC at 45...65 Hz
Input current	20 mA at 100 V AC
Output voltage	24 V DC +/- 10 %
[In] rated current	5.5 A
Range compatibility	Harmony iPC
Net weight	0.6 kg

Environment

Ambient air temperature for operation	0...55 °C
Ambient air temperature for storage	-20...60 °C
Relative humidity	5...90 % non-condensing
IP degree of protection	IP20 conforming to EN 60529
Vibration resistance	0.5 gn (f= 9...150 Hz) 1 gn (f= 9...150 Hz) 2 gn (f= 8...200 Hz) 4 gn (f= 200...500 Hz) 1.75 mm (f= 2...9 Hz) 3.5 mm (f= 2...9 Hz) 7.5 mm (f= 2...9 Hz)
Shock resistance	15 gn operation 11 ms 30 gn transport 6 ms 30 gn storage 6 ms

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	17.0 cm
Package 1 Width	17.0 cm
Package 1 Length	33.0 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	900.0 g
------------------	---------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Longer

Lifetime extension	
Repair	No