

# Product data sheet

Specifications



## TeSys fuse-disconnector spring version- 3P - 30 A - spring type

LS1D303

⚠ Discontinued on: Jan 23, 2021

⚠ Discontinued

### Main

Range	TeSys
Product name	TeSys LS1
Product or Component Type	Fuse-disconnector
Device short name	LS1D
Device Application	Control
Poles description	3P

### Complementary

Mounting Support	Rail
Mounting position	Vertical +/- 23°
Control Type	Toggle
[Ue] rated operational voltage	600 V
[Ie] rated operational current	30 A power circuit
[Uimp] rated impulse withstand voltage	6 kV
Fuse type	CC
Connections - terminals	spring terminals 2 0.002...0.006 in <sup>2</sup> (1...4 mm <sup>2</sup> )

### Environment

Standards	IEC 60947-3 EN 60947-3
Product Certifications	CE
Protective treatment	TH

### Ordering and shipping details

Category	22341-CONTACTOR,D,K,&F ACCESS
Discount Schedule	I12
GTIN	00785901046974
Returnability	No
Country of origin	MX

### Contractual warranty

Warranty (in months)	18
----------------------	----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

### Use Longer



#### Lifetime extension

Repair

No

### Use Again



#### Repack and remanufacture

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.