

# Product datasheet

Specifications



## MN undervoltage release, GoPact MCCB 400/800, 415VAC 50/60Hz

G40-80UVR415AC

### Main

Range of product	GoPact MCCB
Product or component type	Voltage release
Device short name	MN
Device application	Control
Range compatibility	GoPact MCCB 400 GoPact MCCB 800 EasyPact Solar MCCB 400 EasyPact Solar MCCB 800
Voltage release type	Undervoltage release
[Uc] control circuit voltage	415 V AC 50/60 Hz

### Complementary

Threshold tripping voltage	0.35...0.7 Un opening 0.85...1.1 Un closing
Max supply holding power consumption	3.5 VA
Max supply pick-up power consumption	5 VA
Response time	25 ms

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.500 cm
Package 1 Width	8.500 cm
Package 1 Length	4.800 cm
Package 1 Weight	109.900 g
Unit Type of Package 2	S02
Number of Units in Package 2	20
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	2.515 kg

### Contractual warranty

Warranty (in months)	18
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	Dbfa5a24-2300-4757-9388-243f4e4f2875
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

## Use Longer




### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

End of life manual availability	<a href="#">End of Life Information</a>
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Technical Illustration

Dimensions

---

