

Product datasheet

Specifications



Long time rating plug, ComPacT NS, IEC, MicroLogic control units, low setting ($I_r = I_n \times 0.4$ to 0.8)

C33543

Main

Product or component type	Long time rating plug
Device application	Control
Range compatibility	ComPacT NS630b...1600 circuit breaker ComPacT NS1600b...3200 circuit breaker
Trip unit name	MicroLogic
Control type	Manually operated

Complementary

Long time pick-up adjustment type I_r	Adjustable
Long time pick-up adjustment range	$0.4 \dots 0.8 \times I_n$

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	3.600 cm
Package 1 Length	8.300 cm
Package 1 Weight	9.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	8.900 cm
Package 2 Width	13.100 cm
Package 2 Length	18.500 cm
Package 2 Weight	274.400 g
Unit Type of Package 3	S03
Number of Units in Package 3	240
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	2.800 kg

Contractual warranty



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	Ce203ae2-c7e0-4aad-aa17-1e7ab31e4934
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
Halogen-free status	Product contains halogen above thresholds
PVC free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Take-back	No
-----------	----