

Product data sheet

Specifications



shunt trip SHT, EasyPact EZC100,
EasyPact CVS100BS, 100 VAC to
130 VAC 50/60 Hz

EZASHT100AC

⚠ Discontinued on: Nov 1, 2020

⚠ Discontinued

Main

Range	EasyPact GoPact
Range of product	EasyPact CVS EasyPact EZC GoPact R MCCB
Device short name	CVS100BS EZC100 GR12T
Product or component type	Voltage release
Device application	Control
Voltage release type	Shunt trip release
[Uc] control circuit voltage	100...130 V AC 50/60 Hz
Range compatibility	EasyPact EasyPact EZC EZC100 EasyPact EasyPact CVS CVS100BS GoPact R MCCB GR12T

Complementary

Operating threshold	0.7 Un tripping
Response time	50 ms
Auxiliary connection terminal	Lead wire

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2 cm
Package 1 Width	9 cm
Package 1 Length	7.5 cm
Package 1 Weight	62 g
Unit Type of Package 2	BB1
Number of Units in Package 2	5
Package 2 Height	8 cm
Package 2 Width	10 cm
Package 2 Length	14 cm
Package 2 Weight	312 g

List Price displayed is VAT EXCLUSIVE.

Unit Type of Package 3	S03
Number of Units in Package 3	120
Package 3 Height	30 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	8.201 kg

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard **Yes**

Packaging without single use plastic **Yes**

Use Longer



Lifetime extension

Repair **No**

Use Again



Repack and remanufacture

Take-back **No**

WEEE Label  **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins**