

# Product data sheet

Specifications



## TeSys F - contactor - 3P (3 NO) - AC-1- <=480 V 630A - coil 380 V AC

LC1F63097Q7

⚠ Discontinued

### Main

Range	TeSys
Product or Component Type	Contactor
Utilisation category	AC-1
Poles description	3P
[Ue] rated operational voltage	480 V
[Ie] rated operational current	630 A

### Complementary

power pole contact composition	3 NO
Standards	IEC 60947-1 EN 60947-1 JIS C8201-4-1 IEC 60947-4-1 EN 60947-4-1
Product Certifications	ABS CCC CB UL LROS (Lloyds register of shipping) DNV RMRoS RINA BV CSA
Compatibility code	LC1F

### Environment

Height	12.0 in (304 mm)
Width	12.2 in (309 mm)
Depth	10.04 in (255 mm)
Net Weight	41.006 lb(US) (18.6 kg)

### Ordering and shipping details

Category	22336-CTR,F-LINE,AC,OPEN,NONREV
Discount Schedule	I12
GTIN	3389110544435
Returnability	No

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Nbr. of units in pkg.	1
-----------------------	---

## Contractual warranty

---

Warranty (in months)	18
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Longer



### Lifetime extension

[Repair](#)

[No](#)