


Product datasheet

Specifications



Contactor coil, Easy TeSys Control, 220V AC, 50/60Hz, spare part for LC1E40...E65

LAEX3M7

Main

Range	Easy TeSys
Range of product	Easy TeSys Control
Product or component type	Contactor coil
Device short name	LAEX
Product compatibility	LC1E40...E65
Control circuit type	AC at 50/60 Hz standard
[Uc] control circuit voltage	220 V AC 50/60 Hz
Average resistance	153.9 Ohm at 20 °C
Inductance of closed circuit	8.64 H

Complementary

Control circuit voltage limits	Operational: 0.85...1.1 Uc at 50/60 Hz (at <60 °C)
Inrush power in VA	160 VA 50 Hz cos phi 0.75 (at 20 °C) 140 VA 60 Hz cos phi 0.75 (at 20 °C)
Hold-in power consumption in VA	15 VA 50 Hz cos phi 0.3 (at 20 °C) 13 VA 60 Hz cos phi 0.3 (at 20 °C)

Environment

Ambient air temperature for operation	-5...60 °C
Product weight	0.11 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.5 cm
Package 1 Width	8.2 cm
Package 1 Length	11.4 cm
Package 1 Weight	98.2 g

Contractual warranty

Warranty (in months)	18
----------------------	----

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

SCIP Number

0d6361b3-8891-46ad-8442-1d1662b85b3e

EU RoHS Directive

[Compliant By Exemption](#)

REACH Regulation

[Reference contains Substances of Very High Concern above the threshold](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

End of life manual availability

[End of Life Information](#)

Take-back

No

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins