

# Product datasheet

Specifications



Motor mechanism,  
110...230VAC@50/60Hz,  
110...230VDC

LV435001

## Main

Range	EasyPact
Product name	EasyPact CVS
Product or component type	Motor mechanism
Device short name	motor mechanism module
Product compatibility	EasyPact CVS100...250 circuit-breaker

## Complementary

Control type	Local/remote control
Control signal type	Impulse and maintained
Supply voltage [Us]	110...230 V AC 50/60 Hz 110...230 V DC
Mounting mode	Fixed
Response time	<= 350 ms (opening) <= 700 ms (closing)
Maximum operating frequency	<= 3 cycles per minute
Maximum power consumption in VA	150 VA closing 150 VA opening
Electrical durability	25000 cycles 110...230 V AC 50/60 Hz 25000 cycles 110...230 V DC
Provided equipment	Keylock
Locking options description	Transparent cover
IK degree of protection	IK07

## Environment

IP degree of protection	IP20
-------------------------	------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14.000 cm
Package 1 Width	16.000 cm
Package 1 Length	18.000 cm
Package 1 Weight	1.109 kg
Unit Type of Package 2	S04

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

<b>Number of Units in Package 2</b>	8
<b>Package 2 Height</b>	30.000 cm
<b>Package 2 Width</b>	40.000 cm
<b>Package 2 Length</b>	60.000 cm
<b>Package 2 Weight</b>	9.519 kg
<b>Unit Type of Package 3</b>	P12
<b>Number of Units in Package 3</b>	32
<b>Package 3 Height</b>	105.000 cm
<b>Package 3 Width</b>	80.000 cm
<b>Package 3 Length</b>	120.000 cm
<b>Package 3 Weight</b>	50.076 kg

## Contractual warranty

<b>Warranty (in months)</b>	18
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

SCIP Number

39800edf-9d4c-4f0f-8128-6754be888705

EU RoHS Directive

[Compliant By Exemption](#)

REACH Regulation

[Reference contains Substances of Very High Concern above the threshold](#)

## Use Longer



### Lifetime extension

Repair

No

## Use Again



### Repack and remanufacture


End of life manual availability

[End of Life Information](#)

Take-back

No

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Technical Illustration

Assembly's dimensions

---

