

Product data sheet

Specifications



DIN cartridge fuses, TeSys GS, blade size DIN NH0, fuse type gG, 500VAC, 160A, with striker, set of 3 parts

DF4GN1161

⚠ Discontinued on: Jul 12, 2021

⚠ Discontinued

Main

Range of Product	DF
Range	TeSys
Product or Component Type	Fuses
Device short name	blade fuse
Device Application	Protection
[Ue] rated operational voltage	500 V AC
Fuse size	NH0
Fuse type	DIN

Complementary

Line Rated Current	160 A
fuse curve	GG
Local signalling	Striker
Quantity per Set	Set of 3
Net Weight	0.51 lb(US) (0.23 kg)

Ordering and shipping details

Category	18402-WORLD SERVICE PARTS(CONTROL ACCESS)
Discount Schedule	CP10
GTIN	3389110504422
Returnability	No

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.6 in (6.5 cm)
Package 1 Width	5.3 in (13.5 cm)
Package 1 Length	5.4 in (13.6 cm)
Package weight(Lbs)	9.3 oz (264 g)

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
EU RoHS Directive	Compliant
California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
PVC free	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Circularity Profile	End of Life Information
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.