

# Product data sheet

Specifications



## auxiliary latch block TeSys Deca , 12V DC/AC 50...60 Hz

LA6DK10J

⚠ Discontinued

### Main

Range	TeSys
Product or Component Type	Mechanical latch block
Product compatibility	LC1D40 3 phases + neutral AC LP1D40 3 phases + neutral DC LP1D65 3 phases + neutral DC LC1D65 3 phases + neutral AC
[Uc] control circuit voltage	12 V AC 50/60 Hz 12 V DC

### Complementary

Mounting Location	Front side
Tripping control	Manual Electrical
[Ui] rated insulation voltage	690 V IEC 60947-5-1
Power required in VA	25 AC
Power required in W	30 W DC
Mechanical durability	500000 cycles
Maximum operating rate	1200 cyc/h
On-load factor	10 %
Net Weight	0.15 lb(US) (0.07 kg)

### Environment

Product Certifications	UL CSA
IP degree of protection	IP2XVDE 0106
Protective treatment	THIEC 60068
Ambient Air Temperature for Operation	-13...131 °F (-25...55 °C)
Ambient Air Temperature for Storage	-40...176 °F (-40...80 °C)

### Ordering and shipping details

Category	22341-CONTACTOR,D,K,&F ACCESS
Discount Schedule	I12
GTIN	3389110775822
Returnability	No

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Country of origin	FR
-------------------	----

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Nbr. of units in pkg.	1
-----------------------	---

---

Package 1 Height	1.850 in (4.700 cm)
------------------	---------------------

---

Package 1 Width	2.047 in (5.200 cm)
-----------------	---------------------

---

Package 1 Length	2.559 in (6.500 cm)
------------------	---------------------

---

Package weight(Lbs)	3.474 oz (98.500 g)
---------------------	---------------------

---

Unit Type of Package 2	S01
------------------------	-----

---

Number of Units in Package 2	32
------------------------------	----

---

Package 2 Height	5.9 in (15 cm)
------------------	----------------

---

Package 2 Width	5.9 in (15 cm)
-----------------	----------------

---

Package 2 Length	15.7 in (40 cm)
------------------	-----------------

---

Package 2 Weight	7.260 lb(US) (3.293 kg)
------------------	-------------------------

---

Unit Type of Package 3	P06
------------------------	-----

---

Number of Units in Package 3	1024
------------------------------	------

---

Package 3 Height	29.528 in (75.000 cm)
------------------	-----------------------

---

Package 3 Width	31.496 in (80.000 cm)
-----------------	-----------------------

---

Package 3 Length	23.622 in (60.000 cm)
------------------	-----------------------

---

Package 3 Weight	249.951 lb(US) (113.376 kg)
------------------	-----------------------------

## Contractual warranty

---

Warranty (in months)	18
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	4 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Carbon footprint of the manufacturing phase [A1 to A3]	0.6 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	3 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.2 kg CO2 eq.

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
<a href="#">EU RoHS Directive</a>	Compliant with Exemptions
SCIP Number	C7b64c73-e428-45b0-a9eb-af38721e12df
REACH Regulation	<a href="#">REACH Declaration</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	49
Circularity Profile	<a href="#">End of Life Information</a>
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.