

Product datasheet

Specifications



Spare wiring , TransferPacT100...630A, connection kit for motor mechanisms

29365

! Discontinued

! Discontinued on: 23 Sept 2025

Main

Range of product	NS100...250 NS400...630 NSX400...630
Range	ComPact TransferPacT
Product or component type	Connection kit
Device application	Connection
Range compatibility	ComPact ComPact NS circuit breaker ComPact ComPact NSX circuit breaker
Accessory / separate part category	Spare parts
[Us] rated supply voltage	24...250 V DC 48...415 V AC at 50/60 Hz 440 V AC at 60 Hz

Complementary

Range compatibility	Compact NSX
Product compatibility	Compact NSX100...250 Compact NSX400...630

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	21.000 cm
Package 1 Length	23.000 cm
Package 1 Weight	134.000 g
Unit Type of Package 2	S04
Number of Units in Package 2	10
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	1.960 kg

Contractual warranty

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Packaging	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins