

Product data sheet

Specifications

SQUARE D



MINIATURE CIRCUIT BREAKER 277V 25A

QYU125

⚠ Discontinued on: Dec 8, 2020

⚠ End-of-service on: Dec 31, 2020

⚠ Discontinued

Main

Product	Supplementary Protector
Range	QYU
Circuit breaker type	Standard

Complementary

Current Rating	25 A
Voltage Rating	277 V AC
Mounting Type	Unit mount
Number of Poles	1P
Short Circuit Current Rating	5 kA
Electrical Connection	Lugs
Wire Size	AWG 14...AWG 2 aluminium/copper
Tightening torque	45 lbf.in (5.08 N.m) (AWG 14...AWG 2)

Environment

Certifications	UL Recognized
----------------	---------------

Ordering and shipping details

Category	00900-QOU BREAKERS & SWITCH
Discount Schedule	DE2
GTIN	00785901586678
Returnability	No
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.900 in (2.286 cm)
Package 1 Width	3.100 in (7.874 cm)
Package 1 Length	4.50 in (11.43 cm)
Package weight(Lbs)	6.080 oz (172.365 g)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
EU RoHS Directive	Compliant
Halogen content performance	Halogen free product

Use Longer

Lifetime extension	
Repair	No

Technical Illustration

Dimensions

