

Product data sheet

Specifications



NEMA Contactor, TeSys N,
reversing, Size 00, 9A, 2HP at
460VAC, 3 pole, 3 phase, 240VAC
50/60Hz coil, open

T02AN23U7

! Discontinued

! Discontinued on: Nov 12, 2020

! End-of-service on: Dec 31, 2020

**Product availability: Non-Stock - Not normally stocked in
distribution facility**

Main

Product Type	Contactors
Range	TeSys N
Contactors Type	Reversing
NEMA Size	00
Motor Horsepower Rating HP	1.5 hp 200 V AC 1.5 hp 230 V AC 2 hp 460 V AC 2 hp 575 V AC

Complementary

Rated Current	9 A
[Ue] Rated Operational Voltage	600 V AC
Control Circuit	Common control circuit
Coil Voltage	240 V AC
Number of Poles	3P
Network Phases	3 phase
Auxiliary Contact Composition	1 NO + 1 NC
Electrical Connection	Screw clamp terminals

Environmental

Product Certifications	UL Listed CSA
NEMA Degree of Protection	Not rated (open device)

Ordering and shipping details

Category	US10CP121196
Discount Schedule	0CP1
GTIN	3606480573064
Returnability	No

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.3 in (10.9 cm)
Package 1 Width	4.5 in (11.4 cm)
Package 1 Length	4.6 in (11.8 cm)
Package weight(Lbs)	1.797 lb(US) (0.815 kg)

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

[EU RoHS Directive](#)

Compliant

California proposition 65

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

PVC free

Yes

Use Longer

Lifetime extension

Repair

No

Use Again

Repack and remanufacture

[Circularity Profile](#)

[End of Life Information](#)