

Product datasheet

Specifications



Sedna - double socket-outlet with side earth - 16A shutters, graphite

SDN3090470

⚠ Discontinued on: 02 Jan 2024

⚠ Discontinued

Main

Range	Sedna
Product or component type	Socket-outlet
Outlet standard description	Side earth
delivery form	Complete product
additional features	Shuttered
Socket number	1
Rated current	16 A at 250 V AC
cover plate color	Graphite
kind of terminals	Lift terminals

Complementary

installation	Flush
Power range	3680 W
terminal capacity	2 cable(s) 2.5 mm ²
wire structure	Solid stranded Flexible Rigid
Wire stripping length	13 mm
material of visible parts	ASA + PC
Surface finish	Glossy
Fixing mode	Screws or claws 52...69 mm
Height	120 mm
Width	84 mm
Depth	48 mm
depth of visual part	23.3 mm
Product weight	0.1031 kg

Environment

IP degree of protection	IP20
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Number of Units in Package 1	1
Package 1 Height	5 cm
Package 1 Width	11 cm
Package 1 Length	19 cm
Package 1 Weight	122.2 g
Unit Type of Package 2	BB1
Number of Units in Package 2	6
Package 2 Height	10 cm
Package 2 Width	20.5 cm
Package 2 Length	31.5 cm
Package 2 Weight	859 g
Unit Type of Package 3	S04
Number of Units in Package 3	30
Package 3 Height	30 cm
Package 3 Width	40 cm
Package 3 Length	60 cm
Package 3 Weight	4.647 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
SCIP Number	52b60409-d705-46c7-9ba3-cc3ef6e307da
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer




Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins