

Product datasheet

Specifications



Auxiliary contact, GoPact MCCB 400/800, 1 NO/NC contact type, circuit breaker status OF/SD

G40-80AUX240

Main

Range of product	GoPact MCCB
Product or component type	Auxiliary contact
Device short name	OF and SD
Device application	Breaker status monitoring
Range compatibility	GoPact MCCB 400 GoPact MCCB 800 EasyPact Solar MCCB 400 EasyPact Solar MCCB 800
Signal contacts composition	1 NO/NC

Complementary

Local signalling	ON/OFF indication for open/close Trip indicator for voltage release indication Trip indicator for electrical fault
Mounting mode	Clip-on
[Ith] conventional free air thermal current	10 A
[Ue] rated operational voltage	240 V AC
Mechanical durability	10000 cycles
Auxiliary connection terminal	Pre-wired 0.5 mm ²
Cable length	500 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.500 cm
Package 1 Width	8.500 cm
Package 1 Length	4.800 cm
Package 1 Weight	60.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	60
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	4.041 kg

Contractual warranty

Warranty (in months)

18



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

Use Longer




Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Technical Illustration

Dimensions

mm
in

