Product data sheet

Specifications

Discontinued

TeSys NEMA Sz 2 rev open starter, 3P, 24 VDC, Sprt Ctrl

T36DN23BDS

Discontinued on: Oct 11, 2022

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product	Starter
Range of Product	TeSys N
Current Rating	45 A
Certifications	UL Listed CSA
Control Circuit Type	Separate control circuit
Enclosure Type	Not rated (open device)
Auxiliary Contacts	1 NO + 1 NC
Horsepower Rating	10 HP 200 V AC 15 HP 230 V AC 25 HP 460 V AC 25 HP 575 V AC
Number of Poles	3P
Phase	3 phase
Maximum Voltage Rating	600 V AC
NEMA Size	2
Control Circuit Voltage	24 V DC
Starter Type	Reversing
Electrical Connection	Screw clamp terminals
Overload Type	Solid state Motor Logic class 10/20 15…45 A

Ordering and shipping details

Category	US10CP121198
Discount Schedule	0CP1
GTIN	3606486289822
Returnability	No

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	7.700 in (19.558 cm)
Package 1 Width	10.200 in (25.908 cm)
Package 1 Length	10.700 in (27.178 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package weight(Lbs)	12.50 lb(US) (5.67 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

Use Better

Materials and Substances

EU RoHS Directive	**Compliant with Exemptions**
California proposition 65	**WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov**

Use Longer

Lifetime extension

Repair	**No**