

Product data sheet

Specifications



NEMA Contactor, TeSys N,
reversing, Size 1, 27A, 10HP at
460VAC, 3 pole, 3 phase, 24VAC
50/60Hz coil, open

T02CN23B7

! Discontinued

! Discontinued on: Nov 11, 2020

! End-of-service on: Dec 31, 2020

Product availability: Non-Stock - Not normally stocked in
distribution facility

Main

Product Type	Contactor
Range	TeSys N
Contactor Type	Reversing
NEMA Size	1
Motor Horsepower Rating HP	7.5 hp 200 V AC 7.5 hp 230 V AC 10 hp 460 V AC 10 hp 575 V AC

Complementary

Rated Current	27 A
[Ue] Rated Operational Voltage	600 V AC
Control Circuit	Common control circuit
Coil Voltage	24 V AC
Number of Poles	3P
Network Phases	3 phase
Auxiliary Contact Composition	1 NO + 1 NC
Electrical Connection	Screw clamp terminals

Environmental

Product Certifications	UL Listed CSA
NEMA Degree of Protection	Not rated (open device)

Ordering and shipping details

Category	US10CP121196
Discount Schedule	0CP1
GTIN	3606480573323
Returnability	No

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.5 in (11.5 cm)
Package 1 Width	4.9 in (12.5 cm)
Package 1 Length	5.5 in (14 cm)
Package weight(Lbs)	2.077 lb(US) (0.942 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained](#) >

[How we assess product sustainability](#) >

Use Better

Materials and Substances	
EU RoHS Directive	Compliant
California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
PVC free	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Circularity Profile	End of Life Information