

ETU VT630, 3-pole, line protection ETU LP, LI IR=315A, overload protection
IRM=4 xIR, short-circuit protection, screw terminal connections in scope of delivery
of switching unit



Model				
product brand name		SENTRON		
product designation		Electronic Trip Units (ETU)		
design of the product		ETU LP, LI IR= 315 A		
Accessories				
accessories		Accessory for VT630		
Mechanical Design				
Net Weight		299 g		
Approvals Certificates				
Environment	General Product Approval		Test Certificates	other
Environmental Con- firmations			Confirmation	
			Type Test Certifi- cates/Test Report	Confirmation

other	
	Miscellaneous

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,...) https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VT9331-6AB00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3VT9331-6AB00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VT9331-6AB00
CAX-Online-Generator https://www.siemens.com/cax
Tender specifications https://www.siemens.com/specifications
Characteristic curves <a href='https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>'>https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>

last modified:

6/15/2025 

