

Product datasheet

Specifications



TeSys GC & GY - auxiliary contacts block - 1 NO + 1 NC

Local distributor code:

386284430

GAC0521

EAN Code: 3389110707625

Main

Range	TeSys
Device short name	GAC0
Product or component type	Auxiliary contact block
Product compatibility	TeSys GC TeSys GY
Mounting location	Right side
Pole contact composition	1 NO + 1 NC
[Ue] rated operational voltage	250 V
[Ith] conventional free air thermal current	5 A (at 50 °C)

Complementary

[Ui] rated insulation voltage	500 V conforming to IEC 60947-5 500 V conforming to VDE 0110
Mechanical durability	1 Mcycles
Connections - terminals	Screw clamp terminals2.5 mm²solid Screw clamp terminals2.5 mm²flexible
Tightening torque	0.8 N.m - on screw clamp terminals
Height	81 mm
Width	8.75 mm
Depth	60 mm
Net weight	0.016 kg

Environment

Standards	IEC 60947-5
Product certifications	CEBEC OVE VDE NF-USE
IP degree of protection	IP20 conforming to VDE 0106
Protective treatment	TC
Ambient air temperature for operation	-5...50 °C
Ambient air temperature for storage	-40...70 °C
Operating altitude	<= 3000 m without derating

Packing Units

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.100 cm
Package 1 Width	7.500 cm
Package 1 Length	8.600 cm
Package 1 Weight	44.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	8.000 cm
Package 2 Width	9.500 cm
Package 2 Length	23.000 cm
Package 2 Weight	501.000 g
Unit Type of Package 3	S03
Number of Units in Package 3	80
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	4.562 kg

Logistical informations

Country of origin	FR
-------------------	----

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
SCIP Number	C88b96f0-e51f-4786-a104-7152b6c53bba
Halogen-free status	Halogen free product

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins