

Product datasheet

Specifications



Direct front rotary handle, FuPacT GS200 to GS400, black handle

LV481702

⚠ Discontinued on: 01 Dec 2024

⚠ To be discontinued

Main

Product or component type	Rotary handle
Range compatibility	FuPacT GSB200 switch-disconnector-fuse FuPacT GSB250 switch-disconnector-fuse FuPacT GSD250 switch-disconnector-fuse FuPacT GSB400 switch-disconnector-fuse FuPacT GSD400 switch-disconnector-fuse
Accessory / separate part type	Control accessories
Handle colour	Black
Handle front plate colour	Black
Rotary handle mounting style	Direct

Complementary

Rotary handle padlocking	3 padlocks
Rotary handle mounting location	Front

Environment

IP degree of protection	IP20
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.000 cm
Package 1 Width	14.500 cm
Package 1 Length	20.000 cm
Package 1 Weight	366.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	6
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	2.470 kg

Contractual warranty

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No