


# Product datasheet

Specifications



## Communicating opening voltage release MX, MasterPact NT/NW, 277VAC, spare part

33037

### Main

|                               |                                                      |
|-------------------------------|------------------------------------------------------|
| Range                         | MasterPacT                                           |
| Range of product              | MasterPact NT<br>MasterPact NW                       |
| Device short name             | MX com<br>XF com                                     |
| Product or component type     | Voltage release                                      |
| Device application            | Control                                              |
| Voltage release type          | Opening coil<br>Closing coil                         |
| Control type                  | Communicating                                        |
| [Uc] control circuit voltage  | 277 V AC 50/60 Hz                                    |
| Circuit breaker mounting mode | Fixed<br>Drawout                                     |
| Range compatibility           | Masterpact MasterPact NT<br>Masterpact MasterPact NW |

### Complementary

|                                    |                                                                                                                                                               |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating threshold                | 0.7...1.1 x Un opening                                                                                                                                        |
| Response time                      | 55 ms +/- 10 % for MasterPact NT<br>70 ms +/- 10 % for MasterPact NW<br>50 ms +/- 10 % for Compact NS630b...1600<br>50 ms +/- 10 % for Compact NS1600b...3200 |
| Supply holding power               | 4.5 VA                                                                                                                                                        |
| Accessory / separate part category | Spare part for MasterPact NT<br>Spare part for MasterPact NW                                                                                                  |

### Packing Units

|                              |         |
|------------------------------|---------|
| Unit Type of Package 1       | PCE     |
| Number of Units in Package 1 | 1       |
| Package 1 Height             | 6.0 cm  |
| Package 1 Width              | 3.5 cm  |
| Package 1 Length             | 8.4 cm  |
| Package 1 Weight             | 155.0 g |
| Unit Type of Package 2       | BB1     |
| Number of Units in Package 2 | 10      |
| Package 2 Height             | 8.8 cm  |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |          |
|------------------------------|----------|
| Package 2 Width              | 13.0 cm  |
| Package 2 Length             | 18.5 cm  |
| Package 2 Weight             | 1.598 kg |
| Unit Type of Package 3       | S03      |
| Number of Units in Package 3 | 20       |
| Package 3 Height             | 30.0 cm  |
| Package 3 Width              | 30.0 cm  |
| Package 3 Length             | 40.0 cm  |
| Package 3 Weight             | 4.1 kg   |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 3 kg CO2 eq.                                  |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |
| Carbon footprint of the manufacturing phase [A1 to A3] | 3 kg CO2 eq.                                  |
| Carbon footprint of the distribution phase [A4]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the installation phase [A5]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 0 kg CO2 eq.                                  |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 0.3 kg CO2 eq.                                |

## Use Better



### Materials and Substances

|                                        |                                                                                        |
|----------------------------------------|----------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes                                                                                    |
| Packaging without single use plastic   | Yes                                                                                    |
| SCIP Number                            | Ad764790-535b-4a4e-825e-50fd804b5824                                                   |
| EU RoHS Directive                      | <a href="#">Compliant By Exemption</a>                                                 |
| REACH Regulation                       | <a href="#">Reference contains Substances of Very High Concern above the threshold</a> |
| Halogen-free status                    | Product contains halogen above thresholds                                              |
| PVC free                               | Yes                                                                                    |
| Silicone-free                          | Yes                                                                                    |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                                 |                                                                                                                                                                                                                 |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Recyclability potential, in %   | 74                                                                                                                                                                                                              |
| End of life manual availability | <a href="#">End of Life Information</a>                                                                                                                                                                         |
| Take-back                       | Yes                                                                                                                                                                                                             |
| WEEE Label                      |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

