


Product data sheet

Specifications



MN delay unit, ComPacT NSX/NSXm, fixed time delay 200ms, 48VAC 50/60Hz, spare part

LV429426

⚠ Discontinued on: Jul 2, 2025

⚠ Discontinued

Product availability: Stock - Normally stocked in distribution facility

Main

Device short name	MN delay unit
Product or Component Type	Time delay relay
Device Application	Control
Range compatibility	ComPact ComPact NSX PowerPact PowerPact Multistandard ComPact ComPact NSX DC EasyPact EasyPact CVS ComPact ComPact NSXm
Voltage release type	Undervoltage release
[Uc] control circuit voltage	48 V AC 50/60 Hz

Complementary

Impulse duration	200 ms
Time delay range	200 ms
Threshold tripping voltage	0.35...0.7 x Un opening 0.85 x Un closing
Supply holding power	4.5 VA
Supply inrush power	200 VA
Mounting Mode	External mounting
Response time	<= 200 ms

Ordering and shipping details

Category	01081-INTRA-COMPANY COMPONENTS
Discount Schedule	NET
GTIN	3606480019180
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.5 in (9.0 cm)
Package 1 Width	3.07 in (7.8 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	3.4 in (8.6 cm)
Package weight(Lbs)	4.7 oz (133.0 g)
Unit Type of Package 2	S03
Number of Units in Package 2	15
Package 2 Height	11.8 in (30.0 cm)
Package 2 Width	11.8 in (30.0 cm)
Package 2 Length	15.7 in (40.0 cm)
Package 2 Weight	5.472 lb(US) (2.482 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.