

Product data sheet

Specifications



Reversing bar, TeSys Deca, for 3P LC1D09-32 snap-in contactors

LAD9V21A



Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	TeSys Deca
Range	TeSys
Device short name	LAD9
Product or Component Type	Set of connections
Poles description	3P
Range compatibility	TeSys Deca
Product Compatibility	LC1D09...32A

Complementary

Mounting Location	Downstream Upstream
Net Weight	1.8 oz (50 g)
Standards	EN/IEC 60947-4-1 GB/T 14048.4

Environmental

Ambient Air Temperature for Operation	-13...140 °F (-25...60 °C)
Ambient Air Temperature for Storage	-76...176 °F (-60...80 °C)

Ordering and shipping details

Category	US10I1222341
Discount Schedule	0I12
GTIN	3606487544227
Returnability	No
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.181 in (3.000 cm)
Package 1 Width	2.559 in (6.500 cm)
Package 1 Length	4.921 in (12.500 cm)
Package weight(Lbs)	2.293 oz (65.000 g)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 2	S01
Number of Units in Package 2	22
Package 2 Height	5.906 in (15.000 cm)
Package 2 Width	5.906 in (15.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	3.642 lb(US) (1.652 kg)

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Antimony oxide & Antimony trioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.