

Product data sheet

Specifications



Linergy FT, Comb busbar, 63A, 4 tap-offs, for snap-in GV2ME

GV2G4LA

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

| | |
|---|-------------------------|
| Range | Linergy |
| Product name | FT |
| Device short name | GV2G |
| Product or Component Type | Comb busbar |
| Accessory / separate part category | Connection accessory |
| Poles description | 3P |
| Range compatibility | TeSys Deca TeSys GV2 |
| Product Compatibility | GV2ME...A |
| Number of tap-offs | 4 |
| [Ith] conventional free air thermal current | 63 A |
| Connection pitch | 1.8 in (45 mm) |

Complementary

| | |
|-------------------------------|------------------------------------|
| Fixing mode | 35 mm symmetrical DIN rail clipped |
| [Ui] Rated Insulation Voltage | 690 V |
| Width | 8.0 in (203 mm) |
| Net Weight | 1.46 lb(US) (0.66 kg) |

Ordering and shipping details

| | |
|-------------------|---------------|
| Category | US10I1122367 |
| Discount Schedule | 0I11 |
| GTIN | 3606487863984 |
| Returnability | No |
| Country of origin | CN |

Packing Units

| | |
|------------------------|----------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 4.134 in (10.500 cm) |
| Package 1 Width | 5.118 in (13.000 cm) |
| Package 1 Length | 8.268 in (21.000 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------------------|---------------------------|
| Package weight(Lbs) | 19.612 oz (556.000 g) |
| Unit Type of Package 2 | S02 |
| Number of Units in Package 2 | 3 |
| Package 2 Height | 5.906 in (15.000 cm) |
| Package 2 Width | 11.811 in (30.000 cm) |
| Package 2 Length | 15.748 in (40.000 cm) |
| Package 2 Weight | 4.511 lb(US) (2.046 kg) |
| Unit Type of Package 3 | P06 |
| Number of Units in Package 3 | 48 |
| Package 3 Height | 29.528 in (75.000 cm) |
| Package 3 Width | 23.622 in (60.000 cm) |
| Package 3 Length | 31.496 in (80.000 cm) |
| Package 3 Weight | 90.919 lb(US) (41.240 kg) |



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)


Use Better

| Materials and Substances | |
|--|--|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | Yes |
| EU RoHS Directive | Compliant with Exemptions |
| SCIP Number | 04104e70-ba29-493c-b2cc-b5837d1f879b |
| REACH Regulation | REACH Declaration |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Antimony oxide & Antimony trioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov |

Use Longer

| Lifetime extension | |
|--------------------|----|
| Repair | No |

Use Again

| Repack and remanufacture | |
|--------------------------|--|
| Take-back | No |
| WEEE Label |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |