

Product datasheet

Specifications



Interphase barriers, GoPact MTS 2000, 1250A/1600A

GMSISOPB06

Price: 351.01 ZAR

Main

Range of product	GoPact MTS
Product or component type	Interphase barrier
Device application	Insulation
Range compatibility	GoPact MTS 2000
[In] rated current	1250...1600 A
Frame size	6
Poles description	4P
Quantity per set	6

Complementary

Mounting mode	Between poles
---------------	---------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	12 cm
Package 1 Width	6.5 cm
Package 1 Length	8.5 cm
Package 1 Weight	0.256 kg

Contractual warranty

Warranty (in months)	18
----------------------	----

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Take-back	No
-----------	----

Technical Illustration

Assembly's dimensions

mm
in

