

# Product datasheet

Specifications



## SERCOS III cable, 2 x RJ45 connector , 2 m

VW3E5001R020

### Main

|                           |                                            |
|---------------------------|--------------------------------------------|
| Range of product          | Lexium 32S<br>PacDrive 3<br>Modicon LMC078 |
| Product or component type | SERCOS III cable                           |

### Complementary

|                                    |                                                                                                                            |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Range compatibility                | Modicon TM5<br>Lexium 62<br>Lexium 52<br>PacDrive LMC motion controller                                                    |
| Product compatibility              | LXM 62 servo drive<br>LXM 52 servo drive<br>LMC Eco controller<br>LMC Pro controller<br>bus coupler module<br>TM5CSLC.00FS |
| Connector type                     | RJ45/RJ45                                                                                                                  |
| Cable length                       | 2 m                                                                                                                        |
| Net weight                         | 0.1 kg                                                                                                                     |
| Accessory / separate part category | Connection accessories                                                                                                     |

### Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 2.000 cm  |
| Package 1 Width              | 23.000 cm |
| Package 1 Length             | 27.000 cm |
| Package 1 Weight             | 89.000 g  |
| Unit Type of Package 2       | S02       |
| Number of Units in Package 2 | 15        |
| Package 2 Height             | 15.000 cm |
| Package 2 Width              | 30.000 cm |
| Package 2 Length             | 40.000 cm |
| Package 2 Weight             | 1.630 kg  |

### Logistical informations

|                   |    |
|-------------------|----|
| Country of origin | DE |
|-------------------|----|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 118 kg CO2 eq.                                |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |
| Carbon footprint of the manufacturing phase [A1 to A3] | 0.4 kg CO2 eq.                                |
| Carbon footprint of the distribution phase [A4]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the installation phase [A5]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 117 kg CO2 eq.                                |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 0.1 kg CO2 eq.                                |

## Use Better



### Materials and Substances

|                                        |     |
|----------------------------------------|-----|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic   | No  |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                                 |                                         |
|---------------------------------|-----------------------------------------|
| End of life manual availability | <a href="#">End of Life Information</a> |
| Take-back                       | Yes                                     |