

Product datasheet

Specifications



DIN cartridge fuses, TeSys GS, blade size DIN NH1, fuse type aM, 690VAC, 250A, without striker, set of 3 parts

DF2HA1251

! Discontinued

! Discontinued on: 15 Feb 2024

! End-of-service on: 15 Feb 2025

Main

Range of product	DF
Range	TeSys
Product or component type	Fuses
Device short name	blade fuse
Device application	Protection
[Ue] rated operational voltage	690 V AC
Fuse size	NH1
Fuse type	DIN

Complementary

[In] rated current	250 A
fuse curve	AM
Quantity per set	Set of 3
Net weight	0.4 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	4 cm
Package 1 Length	13.8 cm
Package 1 Weight	398 g
Unit Type of Package 2	BB1
Number of Units in Package 2	3
Package 2 Height	7 cm
Package 2 Width	12.6 cm
Package 2 Length	14.4 cm
Package 2 Weight	1.242 kg
Unit Type of Package 3	S02

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 3	21
Package 3 Height	15 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	9.038 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
PVC free	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins