


Product datasheet

Specifications



NFC cartridge fuses, TeSys GS, cylindrical 14mm x 51mm, fuse type gG, 500VAC, 4A, with striker, set of 10 parts

DF3EN04

! Discontinued

! Discontinued on: 29 Dec 2023

Main

Range of product	TeSys fuse-disconnector
Product or component type	Cartridge fuse
Device short name	DF3
[Ue] rated operational voltage	500 V AC
[In] rated current	4 A 500 V
Fuse size	14 x 51 mm
Fuse type	NFC
Quantity per set	Set of 10

Complementary

fuse curve	GG
Local signalling	Striker
Net weight	0.02 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	7.2 cm
Package 1 Length	10.5 cm
Package 1 Weight	18.0 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	1.6 cm
Package 2 Width	7.5 cm
Package 2 Length	10.5 cm
Package 2 Weight	203.0 g
Unit Type of Package 3	S01
Number of Units in Package 3	140
Package 3 Height	15.0 cm

Package 3 Width	15.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	3.024 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

EU RoHS Directive

[Compliant](#)

PVC free

Yes

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins