

# Product datasheet

Specifications



enclosure - steel - IP55 - standard  
rotary handle - for NSX400

LV431219

**Price: 9,212.00 HKD**

## Main

enclosure type	Individual enclosure
Product or component type	Enclosure
Accessory / separate part category	Enclosure accessory
Range compatibility	ComPact ComPact NSX400
Device short name	IP55 steel enclosure
Accessories included with enclosure	Black extended rotary handle
Enclosure material	Enclosure: steel

## Complementary

Enclosure mounting	Surface
Installed device	Compact NSX400
Control type	Rotary handle
Type of front cover	Plain door
cable entry	2 removable plates
Width	350 mm
Height	650 mm
Depth	250 mm
Colour	Rotary handle: black

## Environment

IP degree of protection	IP55 conforming to IEC 60529
IK degree of protection	IK08 conforming to IEC 62262

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.0 cm
Package 1 Width	37.0 cm
Package 1 Length	104.0 cm
Package 1 Weight	23.75 kg

## Contractual warranty





## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	3d28c9b3-cf38-4de2-b614-0494ffea621
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>
Halogen-free status	Product contains halogen above thresholds
PVC free	No
Silicone-free	No

### Use Longer



#### Lifetime extension

Repair	No
--------	----

### Use Again



#### Repack and remanufacture

Take-back	No
-----------	----