

ETU VT630, 3-pole, line protection ETU DP, LI IR=100...250A, overload protection IRM=4 to 12.5X IR, short-circuit protection, screw terminal connections in scope of delivery of switching unit



Model			
product brand name		SENTRON	
product designation		Electronic Trip Units (ETU)	
design of the product		ETU DP, LI IR=100 to 250 A	
Accessories			
accessories		Accessory for VT250, VT630	
Mechanical Design			
Net Weight		0.303 kg	
Approvals Certificates			
Environment	General Product Approval		Test Certificates
			other

[Environmental Con-
firmations](#)



[Confirmation](#)



[Type Test Certifi-
cates/Test Report](#)

[Confirmation](#)

other



[Miscellaneous](#)

Further information	
Information on the packaging	https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage	https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,...)	https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)	https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VT9325-6AC00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)	https://support.industry.siemens.com/cs/ww/en/ps/3VT9325-6AC00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)	https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VT9325-6AC00
CAX-Online-Generator	https://www.siemens.com/cax
Tender specifications	https://www.siemens.com/specifications
Characteristic curves	<a href='https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>'>https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>

last modified:

6/15/2025 

