



LED module, red for plug-in relay, PT and RT series, 110-230 V AC without freewheeling diode

| | |
|--|--------------------------|
| product brand name | SIRIUS |
| product type designation | LZS |
| General technical data | |
| display version LED | Yes |
| reference code according to IEC 81346-2 | P |
| Substance Prohibitance (day/month/year) | 05/01/2012 |
| Net Weight | 0.002 kg |
| Control circuit/ Control | |
| control supply voltage at AC | |
| • at 50 Hz rated value | 110 ... 230 V |
| • at 60 Hz rated value | 110 ... 230 V |
| control supply voltage frequency | |
| • 1 rated value | 50 Hz |
| • 2 rated value | 60 Hz |
| supply voltage frequency for auxiliary and control circuit rated value | 50 ... 60 Hz |
| Mechanical data | |
| product component plug-in socket | No |
| Auxiliary circuit | |
| number of NC contacts for auxiliary contacts | 0 |
| number of NO contacts for auxiliary contacts | 0 |
| number of CO contacts for auxiliary contacts | 0 |
| Main circuit | |
| type of voltage | AC |
| Display | |
| display version as status display by LED | LED red |
| Connections/ Terminals | |
| product function removable terminal | No |
| Installation/ mounting/ dimensions | |
| mounting position | any |
| height | 10.5 mm |
| width | 11.4 mm |
| depth | 32 mm |
| Ambient conditions | |
| ambient temperature | |
| • during storage | -25 ... +70 °C |
| • during transport | -25 ... +70 °C |
| Approvals Certificates | |
| Environment | General Product Approval |



other

[Confirmation](#)

[Confirmation](#)



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=LZS:PTML0730>

Cax online generator


<https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=LZS:PTML0730>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


<https://support.industry.siemens.com/cs/ww/en/ps/LZS:PTML0730>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=LZS:PTML0730&lang=en



-P



last modified:

10/22/2025 