

Product datasheet

Specifications



IP54 floor-standing enclosure kit - for variable speed drives - ATV61/ ATV71

VW3A9542

! Discontinued

! Discontinued on: 10 Jun 2022

! End-of-service on: 26 Nov 2024

Main

Accessory / separate part category	Installation accessories
Accessory / separate part type	Enclosure
Accessory / separate part designation	Pre-equipped IP54 floor-standing enclosure kit
Product compatibility	ATV61HC13N4 ATV71HC11N4
Accessory / separate part destination	Create an IP54 floor-standing enclosure for variable speed drives
Range compatibility	Altivar 71 Altivar 61

Complementary

Kit composition	Document holder Roof extension Fixing accessories Drive support Plinth 24 V DC, 600 mA supplementary power supply Upper air duct Handle with a push-button operated opening mechanism EMC plate Altivar 61 and 61 identification labels Seals IP65 graphic display terminal remote mounting kit Lower air duct
Colour code	RAL 7022 plinth RAL 7032 case
cable entry	Via the enclosure bottom or from the left
Supply	1 internal additional supply 24 V DC, <600 mA 1 internal drive supply 24 V DC 21...27 V, <200 mA
Net weight	220 kg

Environment

Ambient air temperature for operation	0...45 °C outside the enclosure 0...50 °C inside the enclosure
---------------------------------------	---

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	70 cm
Package 1 Width	70 cm

Package 1 Length	210 cm
------------------	--------

Package 1 Weight	220 kg
------------------	--------

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Longer



Lifetime extension

Repair

No