

Product datasheet

Specifications



Chassis locking, MasterPact NT drawout, disconnected position, Ronis keylock, 2 locks, 2 different keys, spare part

64914

Main

Product or component type	Lock + adaptation kit
Accessory / separate part category	Locking accessory
Range compatibility	ComPact ComPact NS630b...1600 Masterpact MasterPact NT

Complementary

Keylock destination	Chassis
Number of locks	2
Type of keylock	Ronis
Number of key	2
Key locking position	Disconnected
Locking options description	Different keys
Accessory / separate part category	Spare part for MasterPact NT Spare part for ComPact NS630b...1600

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	12.000 cm
Package 1 Length	20.000 cm
Package 1 Weight	306.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	10
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	3.320 kg
Unit Type of Package 3	P06
Number of Units in Package 3	160
Package 3 Height	75.000 cm
Package 3 Width	80.000 cm
Package 3 Length	60.000 cm

Package 3 Weight	61.120 kg
------------------	-----------

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
SCIP Number	57001ddd-3d63-41b5-ac54-4a8f40834b8b
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
Halogen-free status	Product contains halogen above thresholds

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Take-back	Yes
-----------	-----