

Product datasheet

Specifications



Profibus DP V1 communication card, Altivar, 1.5Mbps, 9 way female SUB D connector

VW3A3E307S371

! Discontinued

! Discontinued on: 4 Aug 2021

! End-of-service on: 9 Apr 2024

EAN Code: 3606485257075

Main

Product or component type	Communication card
Range compatibility	Altivar 71 Plus Altivar 61 Plus
Communication port protocol	Profibus DP V1
Connector type	9-way female SUB-D connector
Transmission rate	187.5 kbps 93.75 kbps 9600 bps 12 Mbps 6 Mbps 19.2 kbps 3 Mbps 500 kbps 1.5 Mbps

Complementary

Number of addresses	1...126
Communication service	CiA 402 profile I/O profile I/O data Communication monitoring can be inhibited, adjustable PPO type 5 PPO type 3 PPO type 4 PPO type 8
Display type	1 LED for DX (data exchange) 1 LED for ST (status) Graphic display terminal for control word received Graphic display terminal for I/O data Graphic display terminal for reference received
Net weight	0.3 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.0 cm
Package 1 Width	10.0 cm
Package 1 Length	20.0 cm
Package 1 Weight	500.0 g

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Longer

Lifetime extension	
Repair	No