

connecting cable between residual current device RCD820 and electronic trip unit (ETU) 3VA2 molded case circ. breaker spare part

Model	
product brand name	SENTRON
product designation	RCD-to-ETU connection cable
accessories	communication and tripping function
General technical data	
suitability for operation	3VA2 and RCD820
Current	
product function	
• communication with motor drive	No
• communication with residual current equipment	Yes
• data exchange with the electronic tripping unit	Yes
number of circuit breakers / directly connectable	1
Mechanical Design	
height	41 mm
width	90 mm
depth	124 mm
Net Weight	59 g
Connections	
type of electrical connection	removable/pluggable
Certificates	
General Product Approval	EMV

[Miscellaneous](#)



[Confirmation](#)



Maritime application	other	Environment	
	Miscellaneous	Confirmation	Environmental Confirmations

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875 Information for data generation and storage https://support.industry.siemens.com/cs/ww/en/view/109995012 Information- and Downloadcenter (Catalogs, Brochures,...) https://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9927-0RC00 Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3VA9927-0RC00 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9927-0RC00 CAX-Online-Generator https://www.siemens.com/cax Tender specifications https://www.siemens.com/specifications

