


# Product datasheet

Specifications



extended rotary handle, ComPact NS630b/NS1600 fixed/drawout, red handle on yellow front, shaft length 218 to 605mm, IP55

33879

## Main

|                                |                       |
|--------------------------------|-----------------------|
| Range of product               | ComPact NS630b...1600 |
| Product or component type      | Rotary handle         |
| Range compatibility            | ComPact NS630b...1600 |
| Accessory / separate part type | Control accessories   |
| Handle colour                  | Red                   |
| Handle front plate colour      | Yellow                |
| Rotary handle mounting style   | Extended              |

## Complementary

|                                 |                         |
|---------------------------------|-------------------------|
| Rotary handle padlocking        | Padlock in OFF position |
| Rotary handle mounting location | Front                   |

## Environment

|                         |      |
|-------------------------|------|
| IP degree of protection | IP55 |
|-------------------------|------|

## Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 12.500 cm |
| Package 1 Width              | 21.500 cm |
| Package 1 Length             | 43.500 cm |
| Package 1 Weight             | 2.374 kg  |
| Unit Type of Package 2       | S04       |
| Number of Units in Package 2 | 3         |
| Package 2 Height             | 30.000 cm |
| Package 2 Width              | 40.000 cm |
| Package 2 Length             | 60.000 cm |
| Package 2 Weight             | 7.772 kg  |
| Unit Type of Package 3       | P12       |
| Number of Units in Package 3 | 12        |
| Package 3 Height             | 45.000 cm |
| Package 3 Width              | 80.000 cm |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                  |            |
|------------------|------------|
| Package 3 Length | 120.000 cm |
| Package 3 Weight | 43.088 kg  |

## Logistical informations

|                   |    |
|-------------------|----|
| Country of origin | FR |
|-------------------|----|

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 20 kg CO2 eq.                                 |
| Carbon footprint of the manufacturing phase [A1 to A3] | 14 kg CO2 eq.                                 |
| Carbon footprint of the distribution phase [A4]        | 0.4 kg CO2 eq.                                |
| Carbon footprint of the installation phase [A5]        | 1 kg CO2 eq.                                  |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 0 kg CO2 eq.                                  |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 5 kg CO2 eq.                                  |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |

## Use Better



### Materials and Substances

|                                        |                                                                                        |
|----------------------------------------|----------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes                                                                                    |
| Packaging without single use plastic   | Yes                                                                                    |
| SCIP Number                            | 7291e542-40e3-4414-ab0a-d89fce590be9                                                   |
| EU RoHS Directive                      | <a href="#">Compliant By Exemption</a>                                                 |
| REACH Regulation                       | <a href="#">Reference contains Substances of Very High Concern above the threshold</a> |
| Halogen-free status                    | Product contains halogen above thresholds                                              |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                                 |                                         |
|---------------------------------|-----------------------------------------|
| Recyclability potential, in %   | 65                                      |
| End of life manual availability | <a href="#">End of Life Information</a> |
| Take-back                       | Yes                                     |