

# Product datasheet

Specifications



## TeSys LG - enclosure for DOL starter - padlocking

DE1KS217A29

⚠ Discontinued on: 30 Aug 2022

⚠ Discontinued

### Main

|                           |                                                                                         |
|---------------------------|-----------------------------------------------------------------------------------------|
| Range of product          | TeSys                                                                                   |
| Range                     | TeSys                                                                                   |
| Device short name         | DE1K                                                                                    |
| Product or component type | Enclosure                                                                               |
| Material                  | Polycarbonate                                                                           |
| Device composition        | Contactor ordered separately<br>Circuit-breaker ordered separately<br>Padlocking device |
| Product compatibility     | LG7                                                                                     |
| Control type              | Without                                                                                 |

### Complementary

|                    |                                                       |
|--------------------|-------------------------------------------------------|
| Cable entry number | 4 2 Pg 13 + 2 Pg 16 top<br>4 2 Pg 13 + 2 Pg 16 bottom |
| Height             | 165 mm                                                |
| Width              | 175 mm                                                |
| Depth              | 142 mm                                                |
| Net weight         | 0.5 kg                                                |

### Environment

|                              |                              |
|------------------------------|------------------------------|
| IP degree of protection      | IP55 conforming to IEC 60529 |
| IK degree of protection      | IK07 conforming to IEC 60529 |
| Environmental characteristic | Standard environment         |
| Product certifications       | UKCA                         |

### Packing Units

|                              |         |
|------------------------------|---------|
| Unit Type of Package 1       | PCE     |
| Number of Units in Package 1 | 1       |
| Package 1 Height             | 25 cm   |
| Package 1 Width              | 25 cm   |
| Package 1 Length             | 26 cm   |
| Package 1 Weight             | 1.08 kg |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

| Materials and Substances |                           |
|--------------------------|---------------------------|
| EU RoHS Directive        | <a href="#">Compliant</a> |

### Use Longer

| Lifetime extension |    |
|--------------------|----|
| Repair             | No |

### Use Again

| Repack and remanufacture        |                                                                                                                                                                                                                 |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| End of life manual availability | <a href="#">End of Life Information</a>                                                                                                                                                                         |
| WEEE Label                      |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |