

Product data sheet

Specifications

SQUARE D



Lighting contactors, TeSys D, max 30A rated, 240VAC control, Type S, multipole [TAA]

LC1D25MEQ4096U7

⚠ Discontinued on: Jan 31, 2024

⚠ Discontinued

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	TeSys
Product name	TeSys D
Product or Component Type	Contactor
Device short name	LC1D
Contactor application	Lighting
Poles description	3P
power pole contact composition	3 NO
[Ue] rated operational voltage	600 V AC 50/60 Hz
[Ie] rated operational current	Tungsten: 30 A at 480Y/277 V AC Ballast: 30 A at 600 V AC
[Uc] control circuit voltage	240 V AC 50/60 Hz
Mounting Support	Rail Plate
Standards	NEMA UL

Environment

Height	3.3 in (85 mm)
Width	1.8 in (45 mm)
Depth	3.6 in (92 mm)

Ordering and shipping details

Category	US10I1222354
Discount Schedule	0I12
GTIN	785901003571
Returnability	No

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.3 in (8.5 cm)
Package 1 Width	1.8 in (4.5 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	3.6 in (9.2 cm)
Package weight(Lbs)	14.720 oz (417.305 g)

Compliance

Compliance	TAA
------------	-----

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

California proposition 65

WARNING: This product can expose you to chemicals including: Antimony oxide & Antimony trioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

PVC free

Yes

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

[End of Life Information](#)