

Product data sheet

Specifications



reversing contactor TeSys LC2-D - 4 poles - AC-1 - 1000 V 200 A - coil 125 V AC

LC2D1150046GD

⚠ Discontinued

Main

Range of Product	TeSys D
Product or Component Type	Reversing contactor
Device short name	LC2D
Contactors application	Resistive load
Utilisation category	AC-1 AC-3 AC-3e AC-4
Control circuit type	AC
Coil type	Standard
Poles description	4P
Pole contact composition	4 NO

Complementary

Assembly style	Ready assembled
Coil technology	Without built-in bidirectional peak limiting diode suppressor
Protective cover	With
Interlocking type	Mechanical
Overvoltage category	III
Mounting Support	Plate Rail
Mechanical durability	8000000 cycles
Height	6.2 in (158 mm)
Width	13.1 in (334 mm)
Depth	5.8 in (148 mm)
Net Weight	16.3 lb(US) (7.4 kg)

Environment

Standards	IEC 60947-4-1 EN 60947-4-1 EN 60947-5-1 UL 508 CSA C22.2 No 14 IEC 60947-5-1
-----------	---------------------------------------------------------------------------------------------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Product Certifications	GL BV CCC CSA DNV RINA UL LROS (Lloyds register of shipping)
-------------------------------	-----------------------------------------------------------------------------------

Ambient Air Temperature for Operation	23...140 °F (-5...60 °C)
----------------------------------------------	--------------------------

Ambient Air Temperature for Storage	-76...176 °F (-60...80 °C)
--------------------------------------------	----------------------------

Ordering and shipping details

Category	22359-CTR, TESYS D, OPEN, 80-150A AC&DC
-----------------	-----------------------------------------

Discount Schedule	I12
--------------------------	-----

GTIN	3389118075306
-------------	---------------

Returnability	No
----------------------	----

Country of origin	CZ
--------------------------	----

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Nbr. of units in pkg.	1
------------------------------	---

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Longer



Lifetime extension

Repair

No