


Product datasheet

Specifications



20 BOLTS 8.8 CLASS M6X20 /5MM COPPER BAR

04194

⚠ Discontinued on: 23 Sept 2025

⚠ Discontinued

Main

Range	Lineryg
Range of product	Lineryg
Product or component type	Mounting hardware
Product name	Lineryg BW
Accessory / separate part category	Installation accessory
Range compatibility	Prisma Prisma G enclosure Prisma Prisma P cubicle Lineryg Lineryg BW busbar
Provided equipment	1 nut 2 contact washers

Complementary

installation description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Floor-standing duct - width 300 mm Wall-mounted duct - width 300 mm Cubicle Cubicle duct Floor-standing enclosure - width 850 mm
ISO thread	M6
Quantity per set	Set of 20
Length	20 mm
Height	20 mm
Colour	Grey
Net weight	0.224 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	5.5 cm
Package 1 Length	10.5 cm
Package 1 Weight	180 g

Contractual warranty

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Packaging	
EU RoHS Directive	Compliant
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No