

Product data sheet

Specifications



pre-wired power cable for Lexium integrated drive - 4 m

VW3L3P01R40

⚠ Discontinued on: Jul 23, 2025

⚠ End-of-service on: Dec 31, 2025

⚠ Discontinued

Main

Product or component type	Pre-wired power cable
Accessory / separate part type	Cable
Accessory / separate part category	Connection accessories
Accessory / separate part destination	For Lexium integrated drive
Cable length	13.1 ft (4 m)

Complementary

Range compatibility	Lexium ILP Lexium ILT
Product compatibility	ILT5V85.MC0A LT5A85.MC1A ILP5R85.MC1A
Electrical connection	1 connector industrial EURO AC, 3 pins AC supply voltage Cable end open
Net weight	0.847 lb(US) (0.384 kg)

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.4 in (3.5 cm)
Package 1 Width	8.7 in (22 cm)
Package 1 Length	9.4 in (24 cm)
Package 1 Weight	13.5 oz (382 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	1
Package 2 Height	3.3 in (8.5 cm)
Package 2 Width	12.2 in (31 cm)
Package 2 Length	13.0 in (33 cm)
Package 2 Weight	22.01 oz (624 g)
Unit Type of Package 3	S02
Number of Units in Package 3	4
Package 3 Height	5.9 in (15 cm)

Package 3 Width	11.8 in (30 cm)
Package 3 Length	15.7 in (40 cm)
Package 3 Weight	4.08 lb(US) (1.85 kg)

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	126 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	2 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	124 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.4 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
PVC free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Circularity Profile	End of Life Information
Take-back	Nej