










Stand-alone assembly support for 3RU21/3RB30/3RB31/3RR2 Size S0, Stand-alone installation Main circuit: screw terminal Auxiliary circuit: -- Reusable packaging Pack = 120 units

product brand name	SIRIUS		
product category	Terminal support		
product designation	individual mount		
General technical data			
size of overload relay	S0		
protection class IP on the front	IP20		
• according to IEC 60529			
Substance Prohibitance (day/month/year)	10/01/2009		
Net Weight	0.057 g		
Ambient conditions			
ambient temperature			
• during operation	-20 ... +70 °C		
• during storage	-50 ... +80 °C		
Electrical Safety			
protection class IP on the front according to IEC 60529	IP20		
touch protection on the front according to IEC 60529	finger-safe, for vertical contact from the front		
Installation/ mounting/ dimensions			
fastening method	screw and snap-on mounting onto 35 mm DIN rail		
height	97 mm		
width	45 mm		
depth	87 mm		
Connections/ Terminals			
type of electrical connection	screw-type terminals		
• for main current circuit			
type of connectable conductor cross-sections			
• for main contacts			
— solid	1x (1 ... 10 mm ²)		
— stranded	1x (1 ... 10 mm ²)		
— finely stranded with core end processing	1 ... 6 mm ²		
• for AWG cables for main contacts	1x (16 ... 8)		
Approvals Certificates			
Environment	General Product Approval		Test Certificates
Environmental Confirmations			
			
			Type Test Certificates/Test Report
Test Certificates	Maritime application		
Special Test Certificate			
			
			
Maritime application	other	Railway	



Confirmation



Special Test Certificate

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RU2926-3AA01-Z_X95

Cax online generator


https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RU2926-3AA01-Z_X95


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3RU2926-3AA01-Z_X95

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RU2926-3AA01-Z_X95&lang=en





1/L1

3/L2

5/L3