

# Product datasheet

Specifications



## TeSys fuse-disconnector - fuse cartridge 22 x 58 mm gG 100 A - w/o indication

DF2FN100

⚠ Discontinued on: 1 Dec 2024

⚠ To be discontinued

### Main

|                                |                         |
|--------------------------------|-------------------------|
| Range of product               | TeSys fuse-disconnector |
| Product or component type      | Cartridge fuse          |
| Device short name              | DF2                     |
| [Ue] rated operational voltage | 500 V AC                |
| [In] rated current             | 100 A 500 V             |
| Fuse size                      | 22 x 58 mm              |
| Fuse type                      | NFC                     |
| Quantity per set               | Set of 10               |

### Complementary

|            |          |
|------------|----------|
| fuse curve | GG       |
| Net weight | 0.045 kg |

### Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 2.500 cm  |
| Package 1 Width              | 11.300 cm |
| Package 1 Length             | 12.000 cm |
| Package 1 Weight             | 52.000 g  |
| Unit Type of Package 2       | BB1       |
| Number of Units in Package 2 | 10        |
| Package 2 Height             | 2.500 cm  |
| Package 2 Width              | 11.300 cm |
| Package 2 Length             | 12.000 cm |
| Package 2 Weight             | 522.000 g |
| Unit Type of Package 3       | S02       |
| Number of Units in Package 3 | 160       |
| Package 3 Height             | 15.000 cm |
| Package 3 Width              | 30.000 cm |
| Package 3 Length             | 40.000 cm |

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                  |          |
|------------------|----------|
| Package 3 Weight | 9.189 kg |
|------------------|----------|

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

| Materials and Substances               |     |
|----------------------------------------|-----|
| Packaging made with recycled cardboard | No  |
| Packaging without single use plastic   | Yes |
| PVC free                               | Yes |

### Use Longer

| Lifetime extension |    |
|--------------------|----|
| Repair             | No |

### Use Again

| Repack and remanufacture |                                                                                                                                                                                                                 |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Take-back                | No                                                                                                                                                                                                              |
| WEEE Label               |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |