


Product datasheet

Specifications



kit plug-in base 3P 100 A-250 A 60 mm breaker

EZEPLUG3L

⚠ Discontinued on: 1 Nov 2020

⚠ To be discontinued

Main

Product or component type	Plug-in base
Accessory / separate part category	Mounting accessory
Range compatibility	EasyPact EZC circuit breaker
Circuit breaker name	Easypact EZC250F Easypact EZC250N Easypact EZCV250N Easypact EZC250H Easypact EZCV250H
Poles description	3P
performance level	H F N

Complementary

Mounting mode	Plug-in
[In] rated current	250 A

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	16.5 cm
Package 1 Width	16 cm
Package 1 Length	27.5 cm
Package 1 Weight	1.5 kg
Unit Type of Package 2	CAR
Number of Units in Package 2	6
Package 2 Height	40 cm
Package 2 Width	40 cm
Package 2 Length	50 cm
Package 2 Weight	10.5 kg
Unit Type of Package 3	P12
Number of Units in Package 3	48
Package 3 Height	100 cm
Package 3 Width	120 cm

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Length	80 cm
Package 3 Weight	83.52 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	2958c627-310e-4ae4-a905-31a369b1aaa8
EU RoHS Directive	Compliant
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins