

Product datasheet

Specifications



auxiliary contact - 1 NC + 1 SD NO -
for P25M - 415 V - 2.2 A

21119

⚠ Discontinued on: 30 Jun 2023

⚠ Discontinued

Main

range of product	Acti9
Product or component type	OC or fault contact
Device short name	NC and SD
Signal contacts composition	1 NO + 1 NC
9 mm pitches	1
Standards	EN/IEC 60947-5-1
Product certifications	CEBEC NEMKO DEMKO FIMKO SEMKO

Complementary

Range compatibility	Acti9 P25M
Mounting mode	Fixed
Mounting support	DIN rail
Height	89 mm
Width	18 mm
Depth	65 mm
Connections - terminals	Clamp terminal2 cable(s) 1 mm ² - flexible Clamp terminal2 cable(s) 2.5 mm ² - flexible Clamp terminal2 cable(s) 1 mm ² - rigid

Environment

Tropicalisation	2 conforming to EN/IEC 60947-5-1
Relative humidity	95 % at 55 °C
Ambient air temperature for operation	-20...60 °C
Ambient air temperature for storage	-40...80 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.600 cm
Package 1 Width	1.200 cm

Package 1 Length	9.000 cm
Package 1 Weight	45.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	60
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	3.297 kg

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	1 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.3 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0.5 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.1 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	9da5f8d9-d60f-424a-bb30-a856a097686c

Use Longer




Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	29
End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins