

Product datasheet

Specifications



External rotary handle, TeSys GS, red handle, right side mounting, 2 positions I-O, IP65, for GS 630 to 1250A IEC

GS2AH260

⚠ Discontinued on: 28 Jan 2024

⚠ Discontinued

Main

Range of product	TeSys
Range	TeSys
Device short name	GS2AH
Product or component type	Rotary handle
Range compatibility	TeSys TeSys GS GS2S TeSys TeSys GS GS2T TeSys TeSys GS GS2V FuPact FuPacT GS GSB630 FuPact FuPacT GS GSD630 FuPact FuPacT GS GSB800 FuPact FuPacT GS GSD800 FuPact FuPacT GS GSB1250 FuPact FuPacT GS GSD1250
Type of operating handle	External right side
Handle colour	Red
Handle front plate colour	Yellow

Complementary

Handle positions	O-I
Rotary handle padlocking	Lockable in O position
Switch rated current	630 A 800 A 1250 A
Standards	IEC
Net weight	0.28 kg

Environment

IP degree of protection	IP65
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.0 cm
Package 1 Width	10.0 cm
Package 1 Length	29.0 cm
Package 1 Weight	249.0 g

Unit Type of Package 2	S01
Number of Units in Package 2	5
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	1.47 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

End of life manual availability

[End of Life Information](#)

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins